

Tilburg University

Forecasting, misspecification and unit roots

Magnus, J.R.; Pesaran, B.

Publication date:
1990

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):

Magnus, J. R., & Pesaran, B. (1990). *Forecasting, misspecification and unit roots: The case of $Ar(1)$ versus $ARMA(1, 1)$* . (CentER Discussion Paper; Vol. 1990-2). Unknown Publisher.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

CBM

CBM

R

8414

1990

1990

2

Center

for

Atomic Research

Discussion paper



* C I N O 1 2 5 6 *



No. 9002

**FORECASTING, MISSPECIFICATION AND
UNIT ROOTS: THE CASE OF AR(1)
VERSUS ARMA (1,1)**

by Jan R. Magnus
and Bahram Pesaran

R46

518.991

January, 1990

ISSN 0924-7815

Forecasting, Misspecification and Unit Roots: the Case of AR(1) Versus ARMA (1,1)*

Jan R. Magnus
London School of Economics,
and
CentER, Tilburg University

and

Bahram Pesaran
Economics Division, Bank of England

Version 1: May 1989
Version 2: August 1989

*We are grateful to participants at seminars in CentER (Tilburg University), the University of California San Diego, and the University of California Berkeley for constructive comments. We are particularly grateful to Theo Nijman for pointing out an error in an earlier version of this paper.

Abstract

Misspecification in time-series regressions can have important effects on least-squares estimates, test statistics and forecasts. In this paper we analyze these effects (especially the effects on forecasts) for finite samples in one of the leading cases where the process that generates the data is ARMA(1,1), but the model used for estimation is AR(1).

Assumptions about the initial conditions are important too, especially when one of the roots of the characteristic polynomial is near the unit circle. Hence, special attention is given to the near-unit root case.

KEY WORDS: ARMA model; misspecification; forecasting; unit root; initial conditions.

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 1 |
| 2 | The model | 2 |
| 3 | AR(1) versus MA(1) | 4 |
| 4 | AR(1) versus ARMA(1,1): the fixed start-up case | 5 |
| 5 | AR(1) versus ARMA(1,1): the stationary case | 9 |
| 6 | Conclusions | 12 |
| | Mathematical Appendix | 13 |
| | References | 17 |

1 Introduction

Since all models are misspecified, it is important to investigate the effects of misspecification on estimation, testing, and forecasting. In a time-series regression context the true model which generates the observations could be an $\text{ARMA}(p_1, q_1)$ process while the model used for estimation is $\text{ARMA}(p_2, q_2)$. In this paper we analyze the effects of misspecification in one of the leading cases where the true process is $\text{ARMA}(1, 1)$,

$$y_t = \beta y_{t-1} + \sigma(\epsilon_t + \theta \epsilon_{t-1}),$$

while the model used for estimation is $\text{AR}(1)$,

$$y_t = \beta y_{t-1} + \sigma \epsilon_t.$$

We shall consider the case where $\beta = 0$ ($\text{AR}(1)$ versus $\text{MA}(1)$) and the case where $\beta \neq 0$ ($\text{AR}(1)$ versus $\text{ARMA}(1, 1)$), in particular the case where β is close to 1 (the unit root).

A great deal of attention has gone towards the problem of testing for the presence of a unit root in time series regression. See Dickey and Fuller (1979, 1981), Evans and Savin (1981, 1984), Said and Dickey (1984, 1985), and Phillips (1987). Here we are not only interested in the behaviour of the t-ratio for β under misspecification, but also in the (least-squares) estimator for β and σ^2 and in the forecast error.

The estimators, test statistics and forecasts are sensitive to the specification of the initial observation y_0 and we shall see that this is particularly so when β is close to one. This sensitive dependence on initial conditions (known as the “butterfly effect” in chaos theory) was first found by Hoque, Magnus and Pesaran (1988) and Magnus and Pesaran (1988, 1989), and its exact nature was analyzed by Magnus and Rothenberg (1988).

The plan of the paper is as follows. In section 2 we present the model, discuss the choices for the initial observation, and prove the existence of moments of the least-squares estimators for β and of the forecast error. In section 3 we analyze the situation when the true process is $\text{MA}(1)$, but the model used for estimation is $\text{AR}(1)$. In sections 4 and 5 we present our theoretical and exact finite sample results when the true process is $\text{ARMA}(1, 1)$ and, again, the estimating model is $\text{AR}(1)$, first for the fixed start-up model, then for the stationary model. Section 6 offers some conclusions.

2 The model

Let $\{y_t\}$ be a stochastic process generated in discrete time by

$$y_t = \beta y_{t-1} + \sigma(\epsilon_t + \theta \epsilon_{t-1}) \quad (t = 1, 2, \dots) \quad (2.1)$$

where $\{\epsilon_0, \epsilon_1, \dots\}$ is a sequence of i.i.d. $N(0, 1)$ random variables. Regarding the initial observation we assume that

$$y_0 = \sigma \epsilon_0 + \delta \eta \quad (2.2)$$

where η is standard normal and independent of $\epsilon_0, \epsilon_1, \dots$. This specification of y_0 allows for a number of cases of which we shall discuss only the two most important: the fixed start-up case and the stationary case.

The *fixed start-up case* is defined by

$$\delta = 0. \quad (2.3)$$

The name “fixed start-up” is explained by the fact that, if (2.1) also holds for $t = 0$ and if $\epsilon_{-1} = 0$, then $y_{-1} = 0$. Under (2.3) we may solve the difference equation (2.1) as

$$y_t / \sigma = (\beta + \theta) \sum_{j=0}^{t-1} \beta^{t-j-1} \epsilon_j + \epsilon_t \quad (t = 1, 2, \dots). \quad (2.4)$$

In the *stationary case* we require that

$$\delta = \frac{\beta + \theta}{\sqrt{1 - \beta^2}}, \quad (2.5)$$

so that the sequence $\{y_0, y_1, \dots\}$ is a strictly stationary ARMA(1,1) process and

$$\frac{\sqrt{1 - \beta^2}}{\sigma} y_t = (\beta + \theta) \beta^t \eta + (\beta + \theta) \sqrt{1 - \beta^2} \sum_{j=0}^{t-1} \beta^{t-j-1} \epsilon_j + \sqrt{1 - \beta^2} \epsilon_t \quad (t = 1, 2, \dots). \quad (2.6)$$

In both the fixed start-up and the stationary case we see that $\{y_t\}$ is white noise when $\beta + \theta = 0$, that is, when there is a common factor.

If the true ARMA(1,1) model is misspecified as AR(1), then the least-squares estimator of β is

$$\hat{\beta} = \frac{\sum_t y_t y_{t-1}}{\sum_t y_{t-1}^2} = \beta + \sigma \frac{\sum_t y_{t-1} u_t}{\sum_t y_{t-1}^2}, \quad (2.7)$$

where the summations are from 1 to T and $u_t = \epsilon_t + \theta \epsilon_{t-1}$. This is clearly a ratio of two quadratic forms in $y = (y_0, y_1, \dots, y_T)'$, that is, $\hat{\beta} = y' A y / y' B y$, where

$$A = \frac{1}{2} \begin{pmatrix} 0 & 1 & 0 & \cdots & 0 & 0 \\ 1 & 0 & 1 & \cdots & 0 & 0 \\ 0 & 1 & 0 & \cdots & 0 & 0 \\ \vdots & \vdots & \vdots & & \vdots & \vdots \\ 0 & 0 & 0 & \cdots & 0 & 1 \\ 0 & 0 & 0 & \cdots & 1 & 0 \end{pmatrix}, \quad B = \begin{pmatrix} 1 & 0 & 0 & \cdots & 0 & 0 \\ 0 & 1 & 0 & \cdots & 0 & 0 \\ 0 & 0 & 1 & \cdots & 0 & 0 \\ \vdots & \vdots & \vdots & & \vdots & \vdots \\ 0 & 0 & 0 & \cdots & 1 & 0 \\ 0 & 0 & 0 & \cdots & 0 & 0 \end{pmatrix}. \quad (2.8)$$

The s -periods-ahead forecast in the misspecified model is defined by $\hat{y}_{T+s} = \hat{\beta}^s y_T$. The forecast error is therefore

$$\hat{y}_{T+s} - y_{T+s} = (\hat{\beta}^s - \beta^s) y_T - \sigma \sum_{i=1}^s \beta^{s-i} u_{T+i}. \quad (2.9)$$

We shall be primarily concerned with the distribution of $\hat{\beta}$ and the forecast error in the misspecified model, although we shall also study the behaviour of the least-squares estimator of σ^2 and the t -ratio for β . We first settle the question of the existence of the moments of $\hat{\beta}$ and the forecast error.

Proposition 1 (existence)

- (a) the s -th moment of $\hat{\beta}$ exists if and only if $1 \leq s \leq T-1$;
- (b) the expected value of the s -periods-ahead forecast error (the forecast bias) exists if and only if $1 \leq s \leq T-1$;
- (c) the mean-square error of the s -periods-ahead forecast error (the MSFE) exists if and only if $1 \leq s \leq [(T-1)/2]$.

Since $\hat{\beta}$ is a ratio of two quadratic forms, we can use Theorem 6 of Magnus (1986) to calculate $E\hat{\beta}^s$, when it exists. Regarding the forecast error, it is easy to show (using symmetry arguments) that the forecast bias, if it exists, is zero. (See Malinvaud (1970, p. 554), Fuller and Hasza (1980), Dufour (1984, 1985), Hoque, Magnus and Pesaran (1988).)

The mean-square forecast error, that is the variance of the forecast error, depends on expectations like $E\{(u'C_1u/u'C_2u)^*(u'C_3u)\}$. Such quantities can be calculated using Theorem 5 of Magnus (1989).¹

3 AR(1) versus MA(1)

Suppose first that the process which generates the data is MA(1). We don't know this, however, and specify the model mistakenly as AR(1). In this section we shall investigate some consequences of this type of misspecification.

Since the true value of β is zero, we have $y_t = \sigma u_t$ ($t \geq 0$), where $u = (u_0, u_1, \dots, u_T)'$ is normally distributed with mean zero. Let $V = (v_{ij})$ be the $(T+1) \times (T+1)$ covariance matrix of u . Then, in the stationary case, $v_{ii} = 1 + \theta^2$, $v_{i,i+1} = v_{i+1,i} = \theta$ and $v_{ij} = 0$ if $|i - j| \geq 2$; in the fixed start-up case the elements of V are the same as in the stationary case except that $v_{11} = 1$. The least-squares estimator of β in the misspecified AR(1) model is

$$\hat{\beta} = u' Au / u' Bu, \quad (3.1)$$

where A and B are given in (2.8). If we let

$$x_1 = T^{-1/2}(u' Au - \text{tr } AV) \quad \text{and} \quad x_2 = T^{-1/2}(u' Bu - \text{tr } BV), \quad (3.2)$$

and use the fact that $\text{tr } AV/T = \theta$ and $\text{tr } BV/T = 1 + \theta^2 + O(T^{-1})$, then

$$T^{-1} u' Au = \theta + T^{-1/2} x_1 \quad (3.3)$$

and

$$T^{-1} u' Bu = 1 + \theta^2 + T^{-1/2} x_2 + O_p(T^{-1}). \quad (3.4)$$

Hence, letting $r = \theta/(1 + \theta^2)$, we obtain the following large sample approximation for $\hat{\beta}$:

$$\hat{\beta} = r + T^{-1/2} \frac{x_1 - r x_2}{1 + \theta^2} + O_p(T^{-1}). \quad (3.5)$$

This representation of $\hat{\beta}$ immediately implies that $\text{plim } \hat{\beta} = r$ as $T \rightarrow \infty$. In fact we can say a little bit more.

¹We used the Numerical Algorithms Groups (1984) (the so-called NAG) subroutine D01AMF for the univariate numerical integrations in this paper. This subroutine also gives an estimate of the absolute error in the integration. In all results reported the absolute error was less than 10^{-5} .

Proposition 2 At $\beta = 0$ — that is, if the data generating process is $MA(1)$ — we have, for large T ,

$$(a) \hat{\beta} = r + T^{-1/2}\omega z + O_p(T^{-1}),$$

$$(b) \frac{MSFE}{\sigma^2} = \begin{cases} (1 + \theta^2)(1 - r^2) & + O(T^{-1/2}) & \text{if } s = 1, \\ (1 + \theta^2)(1 + r^{2s}) & + O(T^{-1/2}) & \text{if } s \geq 2, \end{cases}$$

where $r = \theta/(1 + \theta^2)$, $\omega^2 = r^2 + (1 - 2r^2)^2$, and $z \sim N(0, 1)$.

To investigate the effects of this type of misspecification on $\hat{\beta}$, we have calculated, for various values of θ and T , its exact mean $\gamma_1 = E\hat{\beta}$, standard deviation $\gamma_2 = [E(\hat{\beta} - E\hat{\beta})^2]^{1/2}$, skewness $\gamma_3 = E(\hat{\beta} - E\hat{\beta})^3/\gamma_2^3$, and kurtosis $\gamma_4 = E(\hat{\beta} - E\hat{\beta})^4/\gamma_2^4 - 3$. The results, given in Table 1, show that the greater the amount of misspecification, the larger are the mean of $\hat{\beta}$ and its skewness, but the smaller is the standard deviation. (These calculations, and the ones reported in Table 2, are for the fixed start-up case where $u_0 = \epsilon_0$; the results for the case where $\{u_t\}$ is strictly stationary are very similar.) The results also show that the distribution of $\hat{\beta}$ in the misspecified model is rather well determined by its asymptotic approximation, except that the true mean of $\hat{\beta}$ is smaller than the approximation suggests and that the true finite distribution is skewed towards the left. (If $\theta < 0$, then the odd moments of $\hat{\beta}$ have the opposite sign, so that the distribution of $\hat{\beta}$ is then skewed towards the right).

The MSFE too is quite well approximated by its limiting value. We see from Table 2 that the true MSFE is always larger than its approximation. Also, the greater the amount of misspecification, the greater is the MSFE. It is important to distinguish carefully between the cases $s = 1$ and $s \geq 2$. The different behaviour of the MSFE in these two cases is due to the fact that u_T and u_{T+s} are correlated when $s = 1$ but not when $s \geq 2$. Table 2 shows that the effects of misspecifying the model as $AR(1)$ when the true model is $MA(1)$ are most serious when $s = 2$. The further ahead we forecast, the less damaging is the effect of the misspecification. (This type of result was also found in Hoque, Magnus and Pesaran (1988) and Magnus and Pesaran (1989).) But the least serious effect of misspecifying the model occurs when $s = 1$, unless $\theta = 0$!

4 $AR(1)$ versus $ARMA(1,1)$: the fixed start-up case

Let us now assume that the process which generates the data is $ARMA(1,1)$, but that the model used for estimation is $AR(1)$, that is, in estimating the model we mistakenly set θ equal to zero. In this section we report results for the fixed start-up case where the initial conditions are given by (2.3). In the next section we discuss the stationary case.

We begin our analysis by investigating the behaviour of four least-squares statistics when the true value of β equals one. These four statistics are the least-squares estimator of β defined in (2.7), the least-squares estimator of σ^2 ,

$$\hat{\sigma}^2 = \frac{1}{T-1} \sum_t (y_t - \hat{\beta} y_{t-1})^2 = \frac{\sigma^2}{T-1} \sum_t u_t^2 - \frac{(\hat{\beta} - \beta)^2}{T-1} \sum_t y_{t-1}^2, \quad (4.1)$$

the t-ratio for β ,

$$t_\beta = (\hat{\beta} - \beta) \left[\sum_t y_{t-1}^2 / \hat{\sigma}^2 \right]^{1/2} = \frac{\sigma}{\hat{\sigma}} \frac{\sum_t y_{t-1} u_t}{[\sum_t y_{t-1}^2]^{1/2}}, \quad (4.2)$$

and the s-periods-ahead forecast error defined in (2.9).

It is important to distinguish between $\theta = -1$ and $\theta \neq -1$, because of the role played by $(1 + \theta^2)/(1 + \theta)^2$, which denotes the ratio of $\text{var}(u_t)$ and $\lim \text{var} (T^{-1/2} \sum_t u_t)$; see Phillips (1987, Theorem 3.1). The latter limit vanishes when $\theta = -1$.

When $\theta \neq -1$ we have the following result.

Proposition 3 *In the fixed start-up case defined by (2.1) - (2.3), the distributions of the least-squares statistics at $\beta = 1$ and $\theta \neq -1$ have the large sample approximations*

$$(a) \ T(\hat{\beta} - \beta) = (W(1)^2 - \gamma^2)/(2Q) + O_p(T^{-1/2}),$$

$$(b) \ (T-1) \frac{\hat{\sigma}^2}{\sigma^2} = \sum_t (u_t - \bar{u})^2 + O_p(T^0),$$

$$(c) \ t_\beta = (W(1)^2 - \gamma^2)/(2\gamma Q^{1/2}) + O_p(T^{-1/2}),$$

$$(d) \ (\hat{y}_{T+s} - y_{T+s})/\sigma = -(u_{T+1} + \dots + u_{T+s})$$

$$+ \frac{s}{\sqrt{T}} W(1) [W(1)^2 - \gamma^2] / (2Q) + O_p(T^{-1}),$$

where

$$\gamma^2 = (1 + \theta^2)/(1 + \theta)^2, \quad \bar{u} = T^{-1} \sum_t u_t, \quad Q = \int_0^1 W(r)^2 dr,$$

and $W(r)$ is a standard Wiener process on the space of real-valued continuous functions on $[0, 1]$.

Parts (a) and (c) of Proposition 3 are special cases of Phillips (1987, Theorem 3.1), while parts (b) and (d) generalize Magnus and Rothenberg (1988, Proposition 3). We see from (a) that $\hat{\beta}$ continues to be consistent when $\beta = 1$ under this type of misspecification and that $\hat{\beta}$ is an increasing function of $\theta \in (-1, 1]$. Also, from (b), it appears that $\hat{\sigma}^2$ overestimates σ^2 , since

$$E\hat{\sigma}^2 = \sigma^2(1 + \theta^2) + O(T^{-1}).$$

The situation is very different when $\theta = -1$. Then, at $\beta = 1$, we have a common factor, so that $y_t = \sigma\epsilon_t$ for all $t \geq 0$.

Proposition 4 *In the fixed start-up case defined by (2.1) - (2.3), the distributions of the least-squares statistics at $\beta = 1$ and $\theta = -1$ have the large sample approximations*

$$(a) \quad \hat{\beta} - \beta = -1 + O_p(T^{-1/2}),$$

$$(b) \quad (T-1)\frac{\hat{\sigma}^2}{\sigma^2} = \chi^2(T-1) + O_p(T^0),$$

$$(c) \quad T^{-1/2}t_\beta = -1 + O_p(T^{-1/2}),$$

$$(d) \quad (\hat{y}_{T+s} - y_{T+s})/\sigma = N(0, 1) + O_p(T^{-s/2}).$$

The estimator $\hat{\beta}$ is now inconsistent for $\beta = 1$, since $\text{plim } \hat{\beta} = 0$. Also, the null hypothesis $H_0 : \beta = 1$ will be rejected for large T because t_β will approach $-\infty$. The least-squares estimator of σ^2 is asymptotically unbiased and the MSFE/ σ^2 equals one plus an error of order T^{-s} , which is smaller the further ahead we forecast.

Concentrating on $\hat{\beta}$ and the MSFE we find the following limiting behaviour for $T \rightarrow \infty$.

Proposition 5 *In the fixed start-up case defined by (2.1) - (2.3) we have, letting $r = \theta/(1 + \theta^2)$ and $\beta \geq 0$,*

$$(a1) \quad \lim_{T \rightarrow \infty} \hat{\beta} = \beta + \frac{r(1 - \beta^2)}{1 + 2\beta r} \equiv \lambda \quad \text{if } \beta \neq 1,$$

- (a2) $\text{plim}_{\substack{\theta \rightarrow -1 \\ T \rightarrow \infty}} \hat{\beta} = \begin{cases} 1 & \text{if } \theta \neq -1, \\ 0 & \text{if } \theta = -1, \end{cases}$
- (b1) $\lim_{T \rightarrow \infty} \frac{\text{MSFE}}{\sigma^2} = \frac{(1 + \theta^2)(1 + 2\beta r)}{1 - \beta^2} [1 + \lambda^{2s} - 2\beta^{s-1}\lambda^{s+1}] \quad \text{if } \beta \neq 1,$
- (b2) $\lim_{\substack{\theta \rightarrow -1 \\ T \rightarrow \infty}} \frac{\text{MSFE}}{\sigma^2} = \frac{2}{1 + \beta} \left[1 + \left[\frac{1 - \beta}{2} \right]^{2s} - 2\beta^{s-1} \left[\frac{-(1 - \beta)}{2} \right]^{s+1} \right] \quad \text{if } \beta \neq 1,$
- (b3) $\lim_{T \rightarrow \infty} \frac{\text{MSFE}}{\sigma^2} = (1 + \theta^2)(s + 2r(s - 1)) \quad \text{if } \theta \neq -1,$
- (b4) $\lim_{T \rightarrow \infty} \lim_{\substack{\theta \rightarrow -1 \\ \beta \rightarrow -1}} \frac{\text{MSFE}}{\sigma^2} = 1.$

It is clear that the order in which limits are taken can be important. The notation indicates when this is the case. A double limit such as in (a2) indicates that the order is *not* important.

The interesting area of the parameter space when $T \rightarrow \infty$ is the corner near $\beta = 1$ and $\theta = -1$. The lack of uniformity in convergence is illustrated by the following limits:

$$\begin{aligned} \lim_{T \rightarrow \infty} \lim_{\substack{\theta \rightarrow -1 \\ \beta \rightarrow -1}} \hat{\beta} &= 0, & \lim_{T \rightarrow \infty} \lim_{\substack{\theta \rightarrow -1 \\ \beta \rightarrow -1}} \frac{\text{MSFE}}{\sigma^2} &= 1, \\ \lim_{\beta \rightarrow -1} \lim_{\substack{\theta \rightarrow -1 \\ T \rightarrow \infty}} \hat{\beta} &= 0, & \lim_{\beta \rightarrow -1} \lim_{\substack{\theta \rightarrow -1 \\ T \rightarrow \infty}} \frac{\text{MSFE}}{\sigma^2} &= 1, \\ \lim_{\theta \rightarrow -1} \lim_{\substack{\theta \rightarrow -1 \\ T \rightarrow \infty}} \hat{\beta} &= 1, & \lim_{\theta \rightarrow -1} \lim_{\substack{\theta \rightarrow -1 \\ T \rightarrow \infty}} \frac{\text{MSFE}}{\sigma^2} &= 2. \end{aligned}$$

Let us now investigate in some detail the properties of the s -periods-ahead forecast error for finite samples, thereby extending the results of Hoque, Magnus and Pesaran (1988) to the misspecified model. We know that the forecast error remains unbiased under misspecification and that the variance of the s -periods-ahead forecast error (the MSFE) has the mirror-image property

$$\text{MSFE}(\beta, \theta) = \text{MSFE}(-\beta, -\theta)$$

as noted e.g. by Cryer, Nankervis and Savin (1989). In Table 3 we present the exact MSFE/σ^2 for various values of β, θ, s and T , and in Figures 1 and 2 we graph the MSFE/σ^2 for $T = 19$ and $s = 1$ and 2.

Several conclusions emerge from studying these exact results. For all T and all s the MSFE/σ^2 is minimal on the common factor line $\beta + \theta = 0$ and maximal when $\beta = \theta = \pm 1$. Hence the precision of the forecast is high *not* when the amount of misspecification ($|\theta|$) is small, but when the departure from the common factor line ($|\beta + \theta|$) is small. When $T = \infty$, for example, we have

$$\frac{\text{MSFE}}{\sigma^2} = 1 \quad \text{when } \beta + \theta = 0$$

and

$$\frac{\text{MSFE}}{\sigma^2} = 1 + \beta^2 + \dots + \beta^{2(s-1)} \quad \text{when } \theta = 0.$$

As noted before, the behaviour of MSFE/σ^2 is particularly interesting when (β, θ) is near $(1, -1)$ or $(-1, 1)$, due to the lack of uniformity in convergence. (The MSFE/σ^2 is 1.0 or 2.0 when $(\beta, \theta, T) = (-1, 1, \infty)$, depending on the order in which the limits are taken, see the discussion above and Proposition 5.) One consequence of this non-uniformity in convergence is a certain lack of monotonicity. For example, when $\beta = 1.0$, $s = 1$, and $T = 19$, the MSFE/σ^2 attains its maximum at $\theta = 1.0$ and its minimum at $\theta = -1.0$, but it also attains a local minimum at $\theta = 0.0$ and a local maximum at $\theta = -0.6$ (see Figure 1). Another consequence is that when T increases the MSFE/σ^2 may also increase. This happens when β and θ have opposite signs, $|\beta|$ is close to 1.0 and $|\theta| < |\beta|$. The intuition behind this is as follows: Let $\beta = -1.0$ and θ close to but not equal to one. When T is small, MSFE/σ^2 will behave as if $(\beta, \theta) = (-1, 1)$, that is, as if there were a common factor, and hence it will be close to 1.0. But when T is large, MSFE/σ^2 will behave like a unit root process and it will be close to 2.0.

When β and θ have opposite signs (or $\beta = 0$) and $|\beta| \leq |\theta|$, then it is *not* generally true that the further ahead we forecast (the larger s is) the less precise our forecast becomes. (Note that this is true not only for small T , but even when $T = \infty$; see Proposition 5 (b1).) This somewhat counterintuitive finding was also reported by Hoque, Magnus and Pesaran (1988) and Magnus and Pesaran (1989) for β close to zero in a correctly specified AR(1) model.

5 AR(1) versus ARMA(1,1): the stationary case

Assume again — as in the previous section — that the process which generates the data is ARMA(1,1), but the model used for estimation is AR(1). In contrast to the previous section, however, we assume that the initial condition is given by (2.5), so that the data generating process is *strictly stationary*.

Dramatic consequences follow from the different assumption about the initial observation, as was recently emphasized by Magnus and Rothenberg (1988). We shall analyze the stationary case in the same way as the fixed start-up case. The following result is the counterpart to Proposition 3 and generalizes Proposition 1 of Magnus and Rothenberg (1988).

Proposition 6 *In the stationary case defined by (2.1) - (2.2) and (2.5), the distributions of the least-squares statistics as $\beta \rightarrow 1$, $\theta \neq -1$ and T is fixed are*

$$(a) \frac{T^{1/2}(\hat{\beta} - \beta)}{(1 - \beta^2)^{1/2}} \rightarrow \frac{T^{1/2}\bar{u}}{(\theta + 1)\eta} \sim a_0 \text{ Cauchy,}$$

$$(b) (T - 1) \frac{\hat{\sigma}^2}{\sigma^2} \rightarrow \sum_t (u_t - \bar{u})^2,$$

$$(c) t_\beta \rightarrow \sqrt{T(T - 1)} \frac{\bar{u}}{\sqrt{\sum_t (u_t - \bar{u})^2}},$$

$$(d) (\hat{y}_{T+s} - y_{T+s})/\sigma \rightarrow -(u_{T+1} + \dots + u_{T+s}) + s\bar{u} \sim N(0, (1 + \theta^2)\omega^2),$$

where

$$\bar{u} = T^{-1} \sum_{t=1}^T u_t, \quad r = \theta/(1 + \theta^2), \quad a_0 = \sqrt{1 - \frac{1}{T} \frac{2r}{2r + 1}},$$

$$\omega^2 = s + \frac{s^2}{T} + 2r \left[s - 1 + \frac{s(s - 1)}{T} - \frac{s^2}{T^2} \right].$$

Proposition 6 shows that the results of Magnus and Rothenberg (1988, Proposition 1) remain essentially true in a misspecified model.

In contrast to the fixed start-up case, $\hat{\beta}$ converges in probability to one as β tends to one (for fixed T). The least-squares estimator for σ^2 will overestimate σ^2 . In fact, we have, as β tends to one,

$$E\hat{\sigma}^2 = \sigma^2(1 + \theta^2) + O(T^{-1})$$

and

$$\text{var}(\hat{\sigma}^2) = \frac{2\sigma^4}{T - 1}(1 + 4\theta^2 + \theta^4) + O(T^{-2}).$$

The t-ratio t_β tends to a random variable which is symmetrically distributed about zero; it is exactly Student(T-1) distributed if and only if $\theta = 0$. In both the fixed start-up case and the stationary case we have, when $\beta \rightarrow 1$ and $\theta \neq -1$,

$$\frac{\hat{y}_{T+s} - y_{T+s}}{\sigma} \rightarrow -(u_{T+1} + \dots + u_{T+s}) + \frac{s}{\sqrt{T}} R_T$$

but in the fixed start-up case

$$R_T = \frac{W(1)(W(1)^2 - \gamma^2)}{2Q} + O_p(T^{-1/2})$$

while in the stationary case

$$R_T = T^{-1/2} \sum_t u_t \sim N \left[0, (1 + \theta^2)(1 + 2r) \right] + O_p(T^{-1/2}).$$

Again the situation is somewhat different when $\theta = -1.0$.

Proposition 7 *In the stationary case defined by (2.1) - (2.2) and (2.5), the distributions of the least-squares statistics as $\beta \rightarrow 1$ and $\theta = -1$ have the same large sample approximations as in Proposition 4.*

Corresponding to Proposition 5 we find the following limiting values for $\hat{\beta}$ and the MFSE when $T \rightarrow \infty$.

Proposition 8 *In the stationary case defined by (2.1) - (2.2) and (2.5), we have the same results as in Proposition 5 except that*

$$(b4) \quad \lim_{T \rightarrow \infty} \lim_{\beta \rightarrow 1} \lim_{\theta \rightarrow -1} \frac{\text{MSFE}}{\sigma^2} = 1$$

$$\lim_{T \rightarrow \infty} \lim_{\theta \rightarrow -1} \lim_{\beta \rightarrow 1} \frac{\text{MSFE}}{\sigma^2} = 2.$$

The lack of uniformity in convergence when T is large, β is close to 1 and θ is close to -1 has slightly different consequences in the stationary case than in the fixed start-up case. We have, in contrast to the fixed start-up case,

$$\lim_{T \rightarrow \infty} \lim_{\beta \rightarrow 1} \lim_{\theta \rightarrow -1} \hat{\beta} = 0, \quad \lim_{T \rightarrow \infty} \lim_{\beta \rightarrow 1} \lim_{\theta \rightarrow -1} \frac{\text{MSFE}}{\sigma^2} = 1,$$

$$\lim_{T \rightarrow \infty} \lim_{\theta \rightarrow -1} \lim_{\beta \rightarrow 1} \hat{\beta} = 1, \quad \lim_{T \rightarrow \infty} \lim_{\theta \rightarrow -1} \lim_{\beta \rightarrow 1} \frac{\text{MSFE}}{\sigma^2} = 2.$$

6 Conclusions

In this paper we have studied the situation where the data generating process is ARMA(1,1),

$$y_t = \beta y_{t-1} + \sigma(\epsilon_t + \theta \epsilon_{t-1}),$$

but where the model used for estimation is AR(1), that is, the investigator mistakenly sets $\theta = 0$. The effects of misspecifying the model in this way are particularly strong when (β, θ) is far from the common factor line $\beta + \theta = 0$ (hence *not* when $|\theta|$ is small). In forecasting, the effects of misspecification are qualitatively different when $s = 1$ (one period ahead) or $s \geq 2$ (two or more periods ahead).

When β is close to one, the least-squares statistics are very sensitive to the specification of the initial observation (as in the correctly specified model, see Magnus and Rothenberg (1988)) and also to θ being close to -1 or not. For example, when $\beta \rightarrow 1$ the least-squares estimator $\hat{\beta}$ remains consistent unless $\theta = -1$. There is an irregularity at $(\beta, \theta) = (1, -1)$ which has a different effect in the fixed start-up case than in the stationary case.

Mathematical Appendix

PROOF OF PROPOSITION 1: The $(T+1) \times (T+1)$ matrix B defined in (2.8) has rank T . Hence there exists a vector q , namely $q = (0, 0, \dots, 0, 1)'$, such that $Bq = 0$. Then,

$$q'Aq = 0, \quad Aq \neq 0, \quad q'q \neq 0,$$

and by Theorems 1(ii), 2(iii) and 3(iv) of Magnus (1989), respectively, we find that $E\hat{\beta}^s$ exists iff $s < T$, $E\hat{\beta}^s y_T$ exists iff $s < T$, and $E\hat{\beta}^{2s} y_T^2$ exists iff $2s < T$. The results then follow easily.

PROOF OF PROPOSITION 2: From (3.2) and (3.5) we obtain

$$\hat{\beta} = r + T^{-1/2} \omega_T z_T + O_p(T^{-1}),$$

where

$$\omega_T = T^{-1/2} \frac{(\text{var}(u'Cu))^{1/2}}{1 + \theta^2}, \quad z_T = \frac{u'Cu - Eu'Cu}{(\text{var}(u'Cu))^{1/2}},$$

and $C = A - rB$. Since $\omega_T \rightarrow \omega$ and $z_T \rightarrow N(0, 1)$ as $T \rightarrow \infty$, (a) follows. To prove (b) we write, using (2.9),

$$\begin{aligned} \frac{\hat{y}_{T+s} - y_{T+s}}{\sigma} &= (\hat{\beta}^s - \beta^s)(y_T/\sigma) - \sum_{i=1}^s \beta^{s-i} u_{T+i} = \hat{\beta}^s u_T - u_{T+s} \\ &= \theta \hat{\beta}^s \epsilon_{T-1} + \hat{\beta}^s \epsilon_T - \theta \epsilon_{T+s-1} - \epsilon_{T+s} \\ &= \theta r^s \epsilon_{T-1} + r^s \epsilon_T - \theta \epsilon_{T+s-1} - \epsilon_{T+s} + O_p(T^{-1/2}), \end{aligned}$$

and (b) follows.

PROOF OF PROPOSITION 3: When $\beta = 1$ and $\theta \neq -1$, it follows from Phillips (1987, Theorem 3.1) and Magnus and Rothenberg (1988, Proposition 3) that

$$T^{-1} \sum y_{t-1} u_t / \sigma = (1 + \theta)^2 [W(1)^2 - \gamma^2] / 2 + O_p(T^{-1/2})$$

and

$$T^{-2} \sum y_{t-1}^2 / \sigma^2 = (1 + \theta)^2 Q + O_p(T^{-1/2}).$$

Then using (2.7), (4.1), (4.2) and (2.9), the proposition follows.

PROOF OF PROPOSITION 4: The proof presented here is valid for all values of β and θ

for which $\beta + \theta = 0$, and hence in particular for $\beta = 1$ and $\theta = -1$. This is the common factor case and we have $y_t/\sigma = \epsilon_t$ ($t \geq 0$). Letting

$$d = T^{1/2} \frac{\sum \epsilon_{t-1} \epsilon_t}{\sum \epsilon_{t-1}^2},$$

we find

$$T^{-1} \sum y_{t-1} u_t / \sigma = (T^{-1} \sum \epsilon_{t-1}^2)(-\beta + T^{-1/2} d)$$

and

$$T^{-1} \sum y_{t-1}^2 / \sigma^2 = T^{-1} \sum \epsilon_{t-1}^2.$$

Hence, using (2.7), (4.1), (4.2) and (2.9),

$$\hat{\beta} = T^{-1/2} d,$$

$$\frac{(T-1)\hat{\sigma}^2}{\sigma^2} = \sum (\epsilon_t - \bar{\epsilon})^2 + (T^{1/2} \bar{\epsilon})^2 - d^2 (T^{-1} \sum \epsilon_{t-1}^2),$$

$$T^{-1/2} t_\beta = (\hat{\sigma}^2 / \sigma^2)^{-1/2} (T^{-1} \sum \epsilon_{t-1}^2)^{1/2} (-\beta + T^{-1/2} d),$$

$$(\hat{y}_{T+s} - y_{T+s}) / \sigma = -\epsilon_{T+s} + T^{-s/2} d^s \epsilon_T,$$

and the results follow.

PROOF OF PROPOSITION 5: To prove (a1) and (a2) we assume first that $\beta \neq 1$ and $\theta \neq -1$. Then

$$\text{plim } T^{-1} \sum y_{t-1} u_t / \sigma = \theta = r(1 + \theta^2)$$

and

$$\text{plim } T^{-1} \sum y_{t-1}^2 / \sigma^2 = \frac{1 + \theta^2 + 2\beta\theta}{1 - \beta^2} = \frac{(1 + \theta^2)(1 + 2\beta r)}{1 - \beta^2},$$

so that $\text{plim } \hat{\beta} = \lambda$. It is easy to see that this result also holds when $\beta = 1, \theta \neq -1$ and when $\beta \neq 1, \theta = -1$. When $\beta = 1$ and $\theta = -1$, then $y_t/\sigma = \epsilon_t$ and $\hat{\beta} = \sum \epsilon_t \epsilon_{t-1} / \sum \epsilon_{t-1}^2 \rightarrow 0$.

To prove (b1) - (b4) we assume first that $\beta \neq 1$. Then,

$$(\hat{y}_{T+s} - y_{T+s})/\sigma = (\hat{\beta}^s - \beta^s) \sum_{j=0}^T \beta^{T-j} u_j - \sum_{j=1}^s \beta^{s-j} u_{T+j}$$

and, since $\hat{\beta} \rightarrow \lambda$, some simple calculations show that

$$\lim_{T \rightarrow \infty} \frac{\text{MSFE}}{\sigma^2} = \frac{(1 + \theta^2)(1 + 2\beta r)}{1 - \beta^2} (1 + \lambda^{2s} - 2\beta^{s-1} \lambda^{s+1}) \quad \text{if } \beta \neq 1,$$

and, in particular,

$$\lim_{T \rightarrow \infty} \frac{\text{MSFE}}{\sigma^2} = \frac{2}{1 + \beta} \left[1 + \left[\frac{1 - \beta}{2} \right]^{2s} - 2\beta^{s-1} \left[\frac{-(1 - \beta)}{2} \right]^{s+1} \right] \quad \text{if } \beta \neq 1, \theta = -1.$$

When $\beta = 1$ we obtain, using Proposition 3(d) and 4(d), respectively,

$$\lim_{T \rightarrow \infty} \frac{\text{MSFE}}{\sigma^2} = \begin{cases} (1 + \theta^2)(s + 2r(s - 1)) & \text{if } \beta = 1, \theta \neq -1, \\ 1 & \text{if } \beta = 1, \theta = -1. \end{cases}$$

To complete the proof we need to show that the order in which the double limit in (b2) and (b3) is taken is of no consequence. This follows by letting $\theta \rightarrow -1$ and $\beta \rightarrow 1$, respectively, in (b1).

PROOF OF PROPOSITION 6: As $\beta \rightarrow 1$ we have, using (2.6),

$$\sqrt{1 - \beta^2} y_t / \sigma \rightarrow (\theta + 1)\eta$$

and hence

$$\sqrt{1 - \beta^2} \sum y_{t-1} u_t / \sigma \rightarrow (\theta + 1)\eta \sum u_t \quad \text{and} \quad (1 - \beta^2) \sum y_{t-1}^2 / \sigma^2 \rightarrow T(\theta + 1)^2 \eta^2.$$

The exact distributions of the least-squares statistics as $\beta \rightarrow 1$ then follow exactly as in the proof of Magnus and Rothenberg (1988, Proposition 1).

PROOF OF PROPOSITION 7: Setting $\theta = -1$ in (2.6), we obtain

$$y_t / \sigma = \epsilon_t - R_t \sqrt{1 - \beta^2},$$

where

$$R_t = \frac{\beta^t}{1 + \beta} \eta + \frac{\sqrt{1 - \beta^2}}{1 + \beta} \sum_{j=0}^{t-1} \beta^{t-j-1} \epsilon_j,$$

so that

$$y_t/\sigma \rightarrow \epsilon_t \text{ as } \beta \rightarrow 1$$

for all $t \geq 0$. The results then follow as in the proof of Proposition 4.

PROOF OF PROPOSITION 8: Similar to proof of Proposition 5.

References

- Cryer, J.D., J.C. Nankervis, and N.E. Savin (1989). Mirror-image and invariant distributions in ARMA models, *Econometric Theory*, 5, 36-52.
- Dickey, D.A. and W.A. Fuller (1979). Distribution of the estimators for autoregressive time series with a unit root, *Journal of the American Statistical Association*, 74, 427-431.
- Dickey, D.A. and W.A. Fuller (1981). Likelihood ratio statistics for autoregressive time series with a unit root, *Econometrica*, 49, 1057-1072.
- Dufour, J.-M. (1984). Unbiasedness of predictions from estimated autoregressions when the true order is unknown, *Econometrica*, 52, 209-215.
- Dufour, J.-M. (1985). Unbiasedness of predictions from estimated vector autoregressions, *Econometric Theory*, 1, 387-402.
- Evans, G.B.A. and N.E. Savin (1981). Testing for unit roots: 1, *Econometrica*, 49, 753-779.
- Evans, G.B.A. and N.E. Savin (1984). Testing for unit roots: 2, *Econometrica*, 52, 1241-1269.
- Fuller, W.A. and D.P. Hasza (1980). Predictors for the first-order autoregressive process, *Journal of Econometrics*, 13, 139-157.
- Hoque, A., J.R. Magnus and B. Pesaran (1988). The exact multi-period mean-square forecast error for the first-order autoregressive model, *Journal of Econometrics*, 39, 327-346.
- Magnus, J.R. (1986). The exact moments of a ratio of quadratic forms in normal variables, *Annales d'Economie et de Statistique*, 4, 95-109.
- Magnus, J.R. (1989). On certain moments relating to ratios of quadratic forms in normal variables: further results, *Sankhyā, Series B*, 00, 000-000.
- Magnus, J.R. and B. Pesaran (1988). The bias of forecasts from a first-order autoregression, submitted for publication.
- Magnus, J.R. and B. Pesaran (1989). The exact multi-period mean-square forecast error for the first-order autoregressive model with an intercept, *Journal of Econometrics*, 42, 157-179.
- Magnus, J.R. and T.J. Rothenberg (1988). Least-squares autoregression with near-unit root, submitted for publication.
- Malinvaud, E. (1970). *Statistical Methods of Econometrics*, 2nd Edition, Amsterdam: North-Holland.
- Numerical Algorithms Group (1984). *NAG Fortran Library Manual*, Mark 11, Oxford: NAGLIB.
- Phillips, P.C.B. (1987). Time series regression with a unit root, *Econometrica*, 55, 277-301.
- Said, S.E. and D.A. Dickey (1984). Testing for unit roots in autoregressive-moving average models of unknown order, *Biometrika*, 71, 599-607.
- Said, S.E. and D.A. Dickey (1985). Hypothesis testing in ARIMA(p,1,q) models, *Journal of the American Statistical Association*, 80, 369-374.

Table 1

Exact moments of $\hat{\beta}$ when $\beta = 0$: fixed start-up case

| | | θ | | | | | |
|---------------------------|----------|----------|---------|---------|---------|---------|---------|
| | T | 0.0 | 0.2 | 0.4 | 0.6 | 0.8 | 1.0 |
| γ_1 | 14 | 0.0000 | 0.1718 | 0.3159 | 0.4157 | 0.4699 | 0.4879 |
| | 24 | 0.0000 | 0.1793 | 0.3267 | 0.4252 | 0.4762 | 0.4915 |
| | ∞ | 0.0000 | 0.1923 | 0.3448 | 0.4412 | 0.4878 | 0.5000 |
| $T^{\frac{1}{2}}\gamma_2$ | 14 | 0.9465 | 0.9114 | 0.8318 | 0.7590 | 0.7211 | 0.7118 |
| | 24 | 0.9644 | 0.9227 | 0.8317 | 0.7540 | 0.7159 | 0.7067 |
| | ∞ | 1.0000 | 0.9458 | 0.8366 | 0.7534 | 0.7160 | 0.7071 |
| γ_3 | 14 | 0.0000 | -0.2027 | -0.3376 | -0.3898 | -0.4012 | -0.4022 |
| | 24 | 0.0000 | -0.1801 | -0.2947 | -0.3412 | -0.3570 | -0.3611 |
| | ∞ | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| γ_4 | 14 | -0.2560 | -0.1604 | 0.0233 | 0.1378 | 0.1826 | 0.1994 |
| | 24 | -0.1916 | -0.1187 | 0.0058 | 0.0703 | 0.0931 | 0.1001 |
| | ∞ | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Table 2

Exact $MSFE/\sigma^2$ when $\beta = 0$: fixed start-up case

| | | θ | | | | | |
|---|----------|----------|--------|--------|--------|--------|--------|
| s | T | 0.0 | 0.2 | 0.4 | 0.6 | 0.8 | 1.0 |
| 1 | 14 | 1.0759 | 1.0792 | 1.1043 | 1.1852 | 1.3533 | 1.6254 |
| 1 | 24 | 1.0425 | 1.0448 | 1.0672 | 1.1443 | 1.3059 | 1.5676 |
| 1 | ∞ | 1.0000 | 1.0015 | 1.0221 | 1.0953 | 1.2498 | 1.5000 |
| 2 | 14 | 1.0163 | 1.0705 | 1.2358 | 1.5119 | 1.8831 | 2.3267 |
| 2 | 24 | 1.0051 | 1.0541 | 1.2056 | 1.4615 | 1.8072 | 2.2239 |
| 2 | ∞ | 1.0000 | 1.0414 | 1.1764 | 1.4115 | 1.7329 | 2.1250 |
| 3 | 14 | 1.0057 | 1.0522 | 1.1956 | 1.4406 | 1.7795 | 2.1938 |
| 3 | 24 | 1.0010 | 1.0435 | 1.1747 | 1.3990 | 1.7109 | 2.0981 |
| 3 | ∞ | 1.0000 | 1.0401 | 1.1620 | 1.3700 | 1.6621 | 2.0313 |
| 4 | 14 | 1.0029 | 1.0466 | 1.1810 | 1.4118 | 1.7357 | 2.1371 |
| 4 | 24 | 1.0003 | 1.0411 | 1.1656 | 1.3772 | 1.6739 | 2.0482 |
| 4 | ∞ | 1.0000 | 1.0400 | 1.1602 | 1.3620 | 1.6453 | 2.0078 |

Table 3: Exact MSFE/ σ^2 : fixed start-up case*

| β | θ | $s = 1$ | | | $s = 2$ | | | $s = 3$ | | | $s = 4$ | | |
|---------|----------|---------|--------|------------|---------|--------|------------|---------|---------|------------|---------|---------|------------|
| | | $T=14$ | $T=24$ | $T=\infty$ | $T=14$ | $T=24$ | $T=\infty$ | $T=14$ | $T=24$ | $T=\infty$ | $T=14$ | $T=24$ | $T=\infty$ |
| 1.0 | 1.0 | 2.3331 | 2.1816 | 2.0000 | 8.1250 | 7.0922 | 6.0000 | 16.1361 | 12.9199 | 10.0000 | 27.6142 | 19.9161 | 14.0000 |
| 1.0 | 0.9 | 2.1107 | 1.9742 | 1.8100 | 7.3307 | 6.4041 | 5.4200 | 14.5391 | 11.6586 | 9.0300 | 24.8479 | 17.9626 | 12.6400 |
| 1.0 | 0.6 | 1.5833 | 1.4625 | 1.3600 | 5.2564 | 4.6158 | 3.9200 | 10.2617 | 8.3100 | 6.4800 | 17.3184 | 12.7133 | 9.0400 |
| 1.0 | 0.0 | 1.1494 | 1.0849 | 1.0000 | 2.5575 | 2.3176 | 2.0000 | 4.2880 | 3.6975 | 3.0000 | 6.4763 | 5.2447 | 4.0000 |
| 0.9 | 1.0 | 2.2255 | 2.0845 | 1.9500 | 6.8818 | 6.0757 | 5.4246 | 12.0354 | 9.8339 | 8.3118 | 18.1363 | 13.4456 | 10.7050 |
| 0.9 | 0.9 | 2.0137 | 1.8867 | 1.7651 | 6.2085 | 5.4861 | 4.9002 | 10.8414 | 8.8728 | 7.5049 | 16.3134 | 12.1244 | 9.6636 |
| 0.9 | 0.6 | 1.5153 | 1.4222 | 1.3320 | 4.4477 | 3.9534 | 3.5440 | 7.6271 | 6.3120 | 5.3760 | 11.3040 | 8.5517 | 6.8896 |
| 0.9 | 0.0 | 1.1150 | 1.0588 | 1.0000 | 2.1512 | 1.9826 | 1.8100 | 3.1295 | 2.7748 | 2.4661 | 4.1000 | 3.4570 | 2.9975 |
| 0.6 | 1.0 | 1.9786 | 1.8904 | 1.8000 | 4.6186 | 4.2727 | 3.9760 | 6.0187 | 5.3280 | 4.8362 | 6.8774 | 5.7662 | 5.1311 |
| 0.6 | 0.9 | 1.7918 | 1.7124 | 1.6306 | 4.1658 | 3.8576 | 3.5916 | 5.4190 | 4.8058 | 4.3661 | 6.1817 | 5.1982 | 4.6315 |
| 0.6 | 0.6 | 1.3704 | 1.3113 | 1.2492 | 2.9809 | 2.7783 | 2.5979 | 3.7930 | 3.4071 | 3.1214 | 4.2555 | 3.6565 | 3.2993 |
| 0.6 | 0.0 | 1.0837 | 1.0452 | 1.0000 | 1.4727 | 1.4192 | 1.3600 | 1.6181 | 1.5459 | 1.4896 | 1.6724 | 1.5846 | 1.5363 |
| 0.0 | 1.0 | 1.6254 | 1.5676 | 1.5000 | 2.3267 | 2.2239 | 2.1250 | 2.1938 | 2.0981 | 2.0313 | 2.1371 | 2.0482 | 2.0078 |
| 0.0 | 0.9 | 1.4759 | 1.4238 | 1.3625 | 2.0970 | 2.0075 | 1.9206 | 1.9783 | 1.8957 | 1.8374 | 1.9278 | 1.8518 | 1.8168 |
| 0.0 | 0.6 | 1.1852 | 1.1443 | 1.0953 | 1.5119 | 1.4615 | 1.4115 | 1.4406 | 1.3990 | 1.3700 | 1.4118 | 1.3772 | 1.3620 |
| 0.0 | 0.0 | 1.0759 | 1.0425 | 1.0000 | 1.0163 | 1.0051 | 1.0000 | 1.0057 | 1.0010 | 1.0000 | 1.0029 | 1.0003 | 1.0000 |
| -0.6 | 1.0 | 1.2941 | 1.2520 | 1.2000 | 1.3214 | 1.2908 | 1.2640 | 1.2583 | 1.2495 | 1.2486 | 1.2622 | 1.2529 | 1.2502 |
| -0.6 | 0.9 | 1.1855 | 1.1474 | 1.0999 | 1.1979 | 1.1730 | 1.1513 | 1.1473 | 1.1404 | 1.1396 | 1.1498 | 1.1428 | 1.1407 |
| -0.6 | 0.6 | 1.0759 | 1.0425 | 1.0000 | 1.0163 | 1.0051 | 1.0000 | 1.0057 | 1.0010 | 1.0000 | 1.0029 | 1.0003 | 1.0000 |
| -0.6 | 0.0 | 1.0837 | 1.0452 | 1.0000 | 1.4727 | 1.4192 | 1.3600 | 1.6181 | 1.5459 | 1.4896 | 1.6724 | 1.5846 | 1.5363 |
| -0.9 | 1.0 | 1.1263 | 1.0943 | 1.0500 | 1.0760 | 1.0624 | 1.0529 | 1.0565 | 1.0531 | 1.0526 | 1.0559 | 1.0532 | 1.0526 |
| -0.9 | 0.9 | 1.0759 | 1.0425 | 1.0000 | 1.0163 | 1.0051 | 1.0000 | 1.0057 | 1.0010 | 1.0000 | 1.0029 | 1.0003 | 1.0000 |
| -0.9 | 0.6 | 1.1653 | 1.1440 | 1.1157 | 1.2415 | 1.2430 | 1.2431 | 1.3215 | 1.3237 | 1.3539 | 1.3731 | 1.3748 | 1.4163 |
| -0.9 | 0.0 | 1.1150 | 1.0588 | 1.0000 | 2.1512 | 1.9826 | 1.8100 | 3.1295 | 2.7748 | 2.4661 | 4.1000 | 3.4570 | 2.9975 |
| -1.0 | 1.0 | 1.0759 | 1.0425 | ----- | 1.0163 | 1.0051 | ----- | 1.0057 | 1.0010 | ----- | 1.0029 | 1.0003 | ----- |
| -1.0 | 0.9 | 1.1492 | 1.1644 | 1.8100 | 1.1188 | 1.1798 | 1.8200 | 1.1428 | 1.2190 | 1.8300 | 1.1588 | 1.2457 | 1.8400 |
| -1.0 | 0.6 | 1.3069 | 1.3187 | 1.3600 | 1.6274 | 1.6868 | 1.5200 | 1.9676 | 2.0717 | 1.6800 | 2.2903 | 2.4391 | 1.8400 |
| -1.0 | 0.0 | 1.1494 | 1.0849 | 1.0000 | 2.5575 | 2.3176 | 2.0000 | 4.2880 | 3.6975 | 3.0000 | 6.4763 | 5.2447 | 4.0000 |

* The MSFE/ σ^2 when $\beta = -1$, $\theta = 1$ and $T = \infty$ can be either 1.0 or 2.0, depending on the order in which limits are taken; see Prop. 5.




Fig. 1 MSFE/ σ^2 of LS forecast for T=19 and s=1:
Fixed start-up case




Fig. 2 MSFE/ σ^2 of LS forecast for T=19 and s=2:
Fixed start-up case

Discussion Paper Series, CentER, Tilburg University, The Netherlands:

| No. | Author(s) | Title |
|------|---|--|
| 8801 | Th. van de Klundert and F. van der Ploeg | Fiscal Policy and Finite Lives in Interdependent Economies with Real and Nominal Wage Rigidity |
| 8802 | J.R. Magnus and B. Pesaran | The Bias of Forecasts from a First-order Autoregression |
| 8803 | A.A. Weber | The Credibility of Monetary Policies, Policy-makers' Reputation and the EMS-Hypothesis: Empirical Evidence from 13 Countries |
| 8804 | F. van der Ploeg and A.J. de Zeeuw | Perfect Equilibrium in a Model of Competitive Arms Accumulation |
| 8805 | M.F.J. Steel | Seemingly Unrelated Regression Equation Systems under Diffuse Stochastic Prior Information: A Recursive Analytical Approach |
| 8806 | Th. Ten Raa and E.N. Wolff | Secondary Products and the Measurement of Productivity Growth |
| 8807 | F. van der Ploeg | Monetary and Fiscal Policy in Interdependent Economies with Capital Accumulation, Death and Population Growth |
| 8901 | Th. Ten Raa and P. Kop Jansen | The Choice of Model in the Construction of Input-Output Coefficients Matrices |
| 8902 | Th. Nijman and F. Palm | Generalized Least Squares Estimation of Linear Models Containing Rational Future Expectations |
| 8903 | A. van Soest, I. Woittiez, A. Kapteyn | Labour Supply, Income Taxes and Hours Restrictions in The Netherlands |
| 8904 | F. van der Ploeg | Capital Accumulation, Inflation and Long-Run Conflict in International Objectives |
| 8905 | Th. van de Klundert and A. van Schaik | Unemployment Persistence and Loss of Productive Capacity: A Keynesian Approach |
| 8906 | A.J. Markink and F. van der Ploeg | Dynamic Policy Simulation of Linear Models with Rational Expectations of Future Events: A Computer Package |
| 8907 | J. Osiewalski | Posterior Densities for Nonlinear Regression with Equicorrelated Errors |
| 8908 | M.F.J. Steel | A Bayesian Analysis of Simultaneous Equation Models by Combining Recursive Analytical and Numerical Approaches |

| No. | Author(s) | Title |
|------|---|---|
| 8909 | F. van der Ploeg | Two Essays on Political Economy (i) The Political Economy of Overvaluation (ii) Election Outcomes and the Stockmarket |
| 8910 | R. Gradus and A. de Zeeuw | Corporate Tax Rate Policy and Public and Private Employment |
| 8911 | A.P. Barten | Allais Characterisation of Preference Structures and the Structure of Demand |
| 8912 | K. Kamiya and A.J.J. Talman | Simplicial Algorithm to Find Zero Points of a Function with Special Structure on a Simplotope |
| 8913 | G. van der Laan and A.J.J. Talman | Price Rigidities and Rationing |
| 8914 | J. Osiewalski and M.F.J. Steel | A Bayesian Analysis of Exogeneity in Models Pooling Time-Series and Cross-Section Data |
| 8915 | R.P. Gilles, P.H. Ruys and J. Shou | On the Existence of Networks in Relational Models |
| 8916 | A. Kapteyn, P. Kooreman and A. van Soest | Quantity Rationing and Concavity in a Flexible Household Labor Supply Model |
| 8917 | F. Canova | Seasonalities in Foreign Exchange Markets |
| 8918 | F. van der Ploeg | Monetary Disinflation, Fiscal Expansion and the Current Account in an Interdependent World |
| 8919 | W. Bossert and F. Stehling | On the Uniqueness of Cardinaly Interpreted Utility Functions |
| 8920 | F. van der Ploeg | Monetary Interdependence under Alternative Exchange-Rate Regimes |
| 8921 | D. Canning | Bottlenecks and Persistent Unemployment: Why Do Booms End? |
| 8922 | C. Fershtman and A. Fishman | Price Cycles and Booms: Dynamic Search Equilibrium |
| 8923 | M.B. Canzoneri and C.A. Rogers | Is the European Community an Optimal Currency Area? Optimal Tax Smoothing versus the Cost of Multiple Currencies |
| 8924 | F. Groot, C. Withagen and A. de Zeeuw | Theory of Natural Exhaustible Resources: The Cartel-Versus-Fringe Model Reconsidered |

| No. | Author(s) | Title |
|------|--|---|
| 8925 | O.P. Attanasio and G. Weber | Consumption, Productivity Growth and the Interest Rate |
| 8926 | N. Rankin | Monetary and Fiscal Policy in a 'Hartian' Model of Imperfect Competition |
| 8927 | Th. van de Klundert | Reducing External Debt in a World with Imperfect Asset and Imperfect Commodity Substitution |
| 8928 | C. Dang | The D_1 -Triangulation of R^n for Simplicial Algorithms for Computing Solutions of Nonlinear Equations |
| 8929 | M.F.J. Steel and J.F. Richard | Bayesian Multivariate Exogeneity Analysis: An Application to a UK Money Demand Equation |
| 8930 | F. van der Ploeg | Fiscal Aspects of Monetary Integration in Europe |
| 8931 | H.A. Keuzenkamp | The Prehistory of Rational Expectations |
| 8932 | E. van Damme, R. Selten and E. Winter | Alternating Bid Bargaining with a Smallest Money Unit |
| 8933 | H. Carlsson and E. van Damme | Global Payoff Uncertainty and Risk Dominance |
| 8934 | H. Huizinga | National Tax Policies towards Product- Innovating Multinational Enterprises |
| 8935 | C. Dang and D. Talman | A New Triangulation of the Unit Simplex for Computing Economic Equilibria |
| 8936 | Th. Nijman and M. Verbeek | The Nonresponse Bias in the Analysis of the Determinants of Total Annual Expenditures of Households Based on Panel Data |
| 8937 | A.P. Barten | The Estimation of Mixed Demand Systems |
| 8938 | G. Marini | Monetary Shocks and the Nominal Interest Rate |
| 8939 | W. Güth and E. van Damme | Equilibrium Selection in the Spence Signaling Game |
| 8940 | G. Marini and P. Scaramozzino | Monopolistic Competition, Expected Inflation and Contract Length |
| 8941 | J.K. Dagsvik | The Generalized Extreme Value Random Utility Model for Continuous Choice |

| No. | Author(s) | Title |
|------|---|---|
| 8942 | M.F.J. Steel | Weak Exogeneity in Misspecified Sequential Models |
| 8943 | A. Roell | Dual Capacity Trading and the Quality of the Market |
| 8944 | C. Hsiao | Identification and Estimation of Dichotomous Latent Variables Models Using Panel Data |
| 8945 | R.P. Gilles | Equilibrium in a Pure Exchange Economy with an Arbitrary Communication Structure |
| 8946 | W.B. MacLeod and J.M. Malcomson | Efficient Specific Investments, Incomplete Contracts, and the Role of Market Alternatives |
| 8947 | A. van Soest and A. Kapteyn | The Impact of Minimum Wage Regulations on Employment and the Wage Rate Distribution |
| 8948 | P. Kooreman and B. Melenberg | Maximum Score Estimation in the Ordered Response Model |
| 8949 | C. Dang | The D_3 -Triangulation for Simplicial Deformation Algorithms for Computing Solutions of Nonlinear Equations |
| 8950 | M. Cripps | Dealer Behaviour and Price Volatility in Asset Markets |
| 8951 | T. Wansbeek and A. Kapteyn | Simple Estimators for Dynamic Panel Data Models with Errors in Variables |
| 8952 | Y. Dai, G. van der Laan, D. Talman and Y. Yamamoto | A Simplicial Algorithm for the Nonlinear Stationary Point Problem on an Unbounded Polyhedron |
| 8953 | F. van der Ploeg | Risk Aversion, Intertemporal Substitution and Consumption: The CARA-LQ Problem |
| 8954 | A. Kapteyn, S. van de Geer, H. van de Stadt and T. Wansbeek | Interdependent Preferences: An Econometric Analysis |
| 8955 | L. Zou | Ownership Structure and Efficiency: An Incentive Mechanism Approach |
| 8956 | P. Kooreman and A. Kapteyn | On the Empirical Implementation of Some Game Theoretic Models of Household Labor Supply |
| 8957 | E. van Damme | Signaling and Forward Induction in a Market Entry Context |

| No. | Author(s) | Title |
|------|--|--|
| 9001 | A. van Soest, P. Kooreman and A. Kapteyn | Coherency and Regularity of Demand Systems with Equality and Inequality Constraints |
| 9002 | J.R. Magnus and B. Pesaran | Forecasting, Misspecification and Unit Roots: The Case of AR(1) Versus ARMA(1,1) |

PO BOX 90153, 5000 LE TILBURG, THE NETHERLAND

Bibliotheek K. U. Brabant



17 000 01117547 9